## **ZC-DN5000 DOME SERIES**

Cameras

## Super High Resolution Day/Night Domes with Integrated Varifocal Lens

- True day/night
- 1/3" IT CCD
- Super high resolution 540 TVL
- Integrated Computar varifocal lens
- Impressive colour reproduction
- Digital signal processing
- Backlight compensation
- Automatic gain control
- Easy adjustment with the unique 3-axis gimble



As part of the expanded 2008 line-up of exciting ZC-5000 dome cameras, three day/night models have joined the range. The ZC-DN5029PHA offers a varifocal 2.9-8.2mm lens; the ZC-DN5212PHA has a varifocal 2.8-12.0mm lens; and the ZC-DN5840PHA model is fitted with an 8.5-40.0mm lens.

The domes have low voltage input, allowing either 12V DC or 24V AC power.

A 3-axis gimble for camera position adjustment allows for ceiling or wall mounting. Other features include line lock with phase adjustment, automatic gain control, digital signal processing and impressive colour reproduction.

## **Perfect Partners**







ZR-DHC1630NP Page 54

Model	ZC-DN5029PHA	ZC-DN5212PHA	ZC-DN5840PHA
TV System	PAL	PAL	PAL
Focal Length	2.9-8.2mm	2.8-12mm	8.5-40mm
Maximum Aperture	F1.0	F1.0	F1.0
Minimum illumination	0.07lux(50%IRE)	0.11lux(50%IRE)	0.11lux(50%IRE)
IR sensitive	Yes	Yes	Yes
Image sensor	1/3" Interlace CCD	1/3" Interlace CCD	1/3" Interlace CCD
Resolution (horizontal)	540 TVL	540 TVL	540 TVL
Power Supply	12V DC/24V AC	12V DC/24V AC	12V DC/24V AC
Power consumption	4.2 Watt (max)	4.2 Watt (max)	4.2 Watt (max)
Dimensions (mm)	144(D) x110(H)	144(D) x110(H)	144(D) x110(H)
Weight	470g	470g	470g

## **Ordering Codes:**

ZC-DN5029PHA Day/Night Dome with Varifocal 2.9 - 8.2mm Lens ZC-DN5212PHA Day/Night Dome with Varifocal 2.8 - 12.0mm Lens

ZC-DN5840PHA Da

Day/Night Dome with Varifocal

8.5 - 40.0mm Lens

