



1.3 Megapixel HD AHD IR Bullet Camera OAL-51IRAHD

Model No.	OAL-51IRAHD
Sensor	1/3" 1.3 Mega Pixel CMOS
Min.Illumination	0.06Lux @(F1.2,AGC ON) ,0 Lux with IR
Shutter time	1/25s ~ 1/100,000s
S/N (Y signal)	52dB (AGC Off, Weight On)
Image Resolution	960P (1280x960)
Frame Rate	30 fps (60 Hz), 25fps (50Hz)
Minimum Illumination	0.01Lux
Day/Night Mode	ICR-IR cut filter
Number of IR LEDs	36pcs Φ 5 IR LED
Infrared Illumination(Night Vision)	Visible up to 98' (30m)
Lens Mount	3.6mm
Backlight Compensation	BLC/HLC, backlighting setup, off
White Balance	Auto, Manual, Fluorescent light, Incandescent lamp, Sunlight, Flash lamp, Cloudy and Shadowy
DNR	3D-DNR
Transmission Distance	Over 500m via 75-3 coaxial cable
Video Output	1ch AHD (1.0Vp-p, 75 Ω), remote storage at IE client
Power	12V DC
Power Consumption	150mA (IR on max 320mA)
Operating Temperature	-10~ +50 Deg C. RH 95% Max.
Storage Temperature	-20~ +60 Deg C. RH 95% Max.
Waterproof	Yes
Video Out	1.0V p-p 75 Ω , BNC Connector
Dimensions(WxDxH)	179mmx67mmx67mm
Weight	390g
Material	Aluminum Alloy

