



Dynacom WQT6402PT Thermal PTZ IP Camera

- Amorphous Silicon mirco-bolometer FPA
- Temperature detection
- Effective resolution 640x480
- Visual Camera Resolution 1920(H)x1080(V)
- Visual Camera Lens 4.5-135mm, X30 Optics
- PTZ Thermal

Thermal Imaging Camera	
Detector Type	Amorphous Silicon mirco-bolometer FPA
Pixels	640x480/17µm
FOV	640 resolution: 37/100mm (optional)
Visual Camera	
Resolution	1920(H)x1080(V)
Pick-up device	2MP;1/2.8" Progressive Scan CMOS
Lens	4.5-135mm, X30 optics
Angular Field of Wiew	2.34 ~ 65.1°(Tele-Wide)
PTZ	
Horizontal rotation degrees	0° ~ 360° continuous rotation
Vertical rotation degrees	-60° ~ +20°
Horizontal rotation speed	0.1° ~ 9°/S
Vertical rotation speed	0.1° ~ 4°/S
Interface	
Video Output	Rj45 (H264/MPEG4)
Protocols	TCP/IP, IPv4/v6, HTTP, OnVIF, PSIA, CGI
Power Supply	AC24V
Power Consumption	<200W (w/heater)
General	
Operating Temperature	-20°C ~ +55°C
Storage Temperature	-40°C ~ +70°C
Protection	IP66
Weight	≤30Kg
Dimensions	<550mmx380mmx525mm

