









































































































Camera and Sensor Mounting Solutions

	Flush Mount 	Pendant Mount 	Wall Mount 	Pole Mount 	Corner Mount 	Electrical Box Mount
FIXED DOMES						
ME4 Outdoor IR Dome 32459-101 	Flush Mount Adaptor 33306 	1.5" NPT Mount Adaptor 33285  + Pendant Mount HOMINIDOMESMA	Wall Mount 33088  OR 1.5" NPT Mount Adaptor 33285  + Wall Mount HOMINIDOMEWB 	1.5" NPT Mount Adaptor 33285  + Wall Mount HOMINIDOMEWB  + Pole Adaptor HOMINIDOMEPPMA 	1.5" NPT Mount Adaptor 33285  + Wall Mount HOMINIDOMEWB  + Corner Adaptor 27639 	Not Available
SE2 Outdoor IR Dome 35834-101 			Wall Mount HOMINIDOMEWB 	Pole Adaptor HOMINIDOMEPPMA 	Corner Adaptor 27639 	
ME4 IR MicDome 33164-101 33164-102 	Not Available	1.5" NPT Mount Adaptor 33287  + Pendant Mount HOMINIDOMESMA 	Wall Mount 33286  OR 1.5" NPT Mount Adaptor 33287  + Wall Mount HOMINIDOMEWB 	1.5" NPT Mount Adaptor 33287  + Wall Mount HOMINIDOMEWB  + Pole Adaptor HOMINIDOMEPPMA 	1.5" NPT Mount Adaptor 33287  + Wall Mount HOMINIDOMEWB  + Corner Adaptor 27639 	Adaptor Plate 36068 






	Flush Mount 	Pendant Mount 	Wall Mount 	Pole Mount 	Corner Mount 	Electrical Box Mount
FIXED DOMES						
SE2 Indoor IR Dome 35835-101 	Not Available	1.5" NPT Mount Adaptor 33287  + Pendant Mount HOMINIDOMESMA	Wall Mount 33286  OR 1.5" NPT Mount Adaptor 33287  + Wall Mount HOMINIDOMEWB	1.5" NPT Mount Adaptor 33287  + Wall Mount HOMINIDOMEWB  + Pole Adaptor HOMINIDOMEPMA 	1.5" NPT Mount Adaptor 33287  + Wall Mount HOMINIDOMEWB  + Corner Adaptor 27639 	Adaptor Plate 36068 
SE2 Indoor NanoDome 33836-101 						











	Flush Mount 	Pendant Mount 	Wall Mount 	Pole Mount 	Corner Mount 	Electrical Box Mount
FIXED DOMES						
MegaPX MicroDome 2 30824 	Flush Mount Adaptor 33074 	1.5" NPT Mount Adaptor 30332  + Pendant Mount HOMINIDOMESMA 	1.5" NPT Mount Adaptor 30332  + Wall Mount HOMINIDOMEWB 	1.5" NPT Mount Adaptor 30332  + Wall Mount HOMINIDOMEWB  + Pole Adaptor HOMINIDOMEPPMA 	1.5" NPT Mount Adaptor 30332  + Wall Mount HOMINIDOMEWB  + Corner Adaptor 27639 	Not Available
MegaPX DPoC MicroDome 31800 						
MegaPX WDR MiniDome Z2 31571 31571-SD  Note: For applications where the dome will be mounted to a hard surface, and the cable must be routed through the side of the housing, you can order the Side Cable Access Housing . 30323 	Flush Mount Adaptor 28319 	1.5" NPT Mount Adaptor 30327  + Pendant Mount HOMINIDOMESMA  OR 0.75" EMT Mount Adaptor 29079 	1.5" NPT Mount Adaptor 30327  + Wall Mount HOMINIDOMEWB 	1.5" NPT Mount Adaptor 30327  + Wall Mount HOMINIDOMEWB  + Pole Adaptor HOMINIDOMEPPMA 	1.5" NPT Mount Adaptor 30327  + Wall Mount HOMINIDOMEWB  + Corner Adaptor 27639 	Adaptor Plate 28317 









	Flush Mount 	Pendant Mount 	Wall Mount 	Pole Mount 	Corner Mount 	Electrical Box Mount
FIXED DOMES						
ME4 Discreet IR Dome 33208-101 	This dome can be surface-mounted out of the box; no additional mounting options are available.					
MegaPX Indoor IR Dome 30671 	This dome can be surface-mounted out of the box; no additional mounting options are available.					
CA2 IR MicroDome 35480-101 	This dome can be surface-mounted out of the box; no additional mounting options are available. All mounting accessories for drop-ceiling applications are included in the box.					
CA2 IR MiniDome Z 35481-101 	This dome can be surface-mounted out of the box; no additional mounting options are available. All mounting accessories for drop-ceiling applications are included in the box.					
SDA Indoor IR Dome 35482-101 	This dome can be surface-mounted out of the box; no additional mounting options are available. All mounting accessories for drop-ceiling applications are included in the box.					
SDA Outdoor IR Dome 35540-101 	This dome can be surface-mounted out of the box; no additional mounting options are available.					
BULLET CAMERAS						
ME4 IR Bullet Camera 33166-101 33166-102 	Not Available	Not Available	Wall Mount Back Box 33227 	Pole Mount Back Box 33226 	Not Available	Not Available





	Indoor Wall/Ceiling Mount 	Indoor/Outdoor Wall Mount 	Indoor/Outdoor Ceiling Mount 
BOX CAMERAS			
ME4 Box Cameras 33168-101 33168-102 33168-103 	Wall/Ceiling Mount HOWSCAMWB 	Environmental Housing 26481 Wall Mount 26485 	Environmental Housing 26481 Ceiling Mount 26486 







	Short Mounting Bracket	Standard Mounting Bracket	View Window Mounting Bracket
ATM CAMERAS			
Self-contained ATM Camera ("cube") 31763 32044 	Mounting Bracket Ships with camera 	Mounting Bracket Ships with camera 	Not Available
Modular ATM Camera 34112-101 	Not Available	Mounting Bracket 34278 	Mounting Bracket 34273 for NCR 6634 ATM 







	Indoor Surface Mount	Indoor Flush Mount	Indoor Wall/Ceiling Mount	Outdoor Wall Mount
ANALYTICS SENSORS				
Brickstream Sensors 34820-101 34821-101 34822-101 34823-101 	Surface Mount Ships with camera 	Flush Mount Adaptor 34817 	Wall/Ceiling Mount HOWSCAMWB 	Wall Mount 34818 

Mount	Photo	Drawing	Indoor	Outdoor	Construction	Compatible With	Additional Mounting Accessories Required
FLUSH MOUNT ADAPTORS							
33306 Flush Mount Adaptor For flush-mounting various domes			●	●	Material: Steel/plastic assembly Color: White Weight: 2.0 lbs (0.91 kg)	ME4 Outdoor IR Dome 32459-101 SE2 Outdoor IR Dome 35834-101	
33074 Flush Mount Adaptor For flush-mounting various domes				●	Material: Aluminum Color: White Weight: 2.0 lbs (0.91 kg)	MegaPX MicroDome 2 30824 MegaPX DPoC MicroDome 31800	
28319 Flush Mount Adaptor For flush mounting the MegaPX WDR MiniDome Z2			●		Material: Steel/plastic assembly Color: White Weight: 2.0 lbs (0.91 kg)	MegaPX WDR MiniDome Z2 31571 31571-SD	
1.5" NPT MOUNT ADAPTORS							
33285 1.5" NPT Mount Adaptor with Sunshield For mounting various domes to industry-standard NPT mounts			●	●	Material: Plastic Color: White Weight: 1.0 lb (0.45 kg)	ME4 Outdoor IR Dome 32459-101 SE2 Outdoor IR Dome 35834-101	Any 1.5" NPT mount HOMINIDOMESMA HOMINIDOMEWB
33287 1.5" NPT Mount Adaptor For mounting various domes to industry-standard NPT mounts			●	●	Material: Aluminum Color: White Weight: 0.4 lb (0.18 kg)	ME4 IR MicDome 33164-101 33164-102 SE2 Indoor IR Dome 35835-101 SE2 Indoor NanoDome 33836-101	Any 1.5" NPT mount HOMINIDOMESMA HOMINIDOMEWB

Mount	Photo	Drawing	Indoor	Outdoor	Construction	Compatible With	Additional Mounting Accessories Required
1.5" NPT MOUNT ADAPTORS							
30332 1.5" NPT Mount Adaptor For mounting various domes to industry-standard NPT mounts			●	●	Material: Aluminum Color: White Weight: 2.0 lbs (0.92 kg)	MegaPX MicroDome 2 30824 MegaPX DPoC MicroDome 31800	Any 1.5" NPT mount HOMINDOMESMA HOMINIDOMEWB
30327 1.5" NPT Mount Adaptor For mounting the MegaPX WDR MiniDome Z2 to industry-standard NPT mounts			●		Material: Aluminum Color: White Weight: 1.0 lb (0.45 kg)	MegaPX WDR MiniDome Z2 31571 31571-SD	Any 1.5" NPT mount HOMINDOMESMA HOMINIDOMEWB
0.75" EMT MOUNT ADAPTORS							
29079 0.75" EMT Mount Adaptor the MegaPX WDR MiniDome Z			●		Material: Aluminum Color: White Weight: 1.0 lb (0.45 kg)	MegaPX WDR MiniDome Z2 31571 31571-SD	Any industry standard EMT Mount
36158 0.75" EMT Mount Adaptor For mounting the SE2 Indoor NanoDome and SE2 Indoor IR Dome to industry-standard EMT mounts			●		Material: Aluminum Color: White Weight: 1.0 lb (0.45 kg)	SE2 Indoor IR Dome 35835-101 SE2 Indoor NanoDome 33836-101	Any industry standard EMT Mount









Mount	Photo	Drawing	Indoor	Outdoor	Construction	Compatible With	Additional Mounting Accessories Required
PENDANT MOUNTS							
HOMINIDOMESMA Pendant Mount For mounting various domes to a ceiling			•	•	Material: Aluminum Color: White Weight: 1.21 lbs (0.55 kg)	ME4 Outdoor IR Dome 32459-101 ME4 IR MicDome 33164-101 33164-102 SE2 Outdoor IR Dome 35834-101 SE2 Indoor IR Dome 35835-101 SE2 Indoor NanoDome 33836-101 MegaPX MicroDome 2 30824 MegaPX DPoC MicroDome 31800 MegaPX WDR MiniDome Z2 31571 31571-SD	The compatible NPT mount adaptor for the dome to be mounted 33285 33287 30332 30327
WALL MOUNTS							
33088 Short Wall Mount For mounting various domes to a wall			•	•	Material: Plastic Color: White Weight: 0.5 lb (0.23 kg)	ME4 Outdoor IR Dome 32459-101 SE2 Outdoor IR Dome 35834-101	None

Mount	Photo	Drawing	Indoor	Outdoor	Construction	Compatible With	Additional Mounting Accessories Required
WALL MOUNTS							
33286 Short Wall Mount For mounting various domes to a wall			•	•	Material: Plastic Color: White Weight: 0.3 lb (0.14 kg)	ME4 IR MicDome 33164-101 33164-102 SE2 Indoor IR Dome 35835-101 SE2 Indoor NanoDome 33836-101	None
HOMINIDOMEWB Long Wall Mount For wall mounting various domes			•	•	Material: Aluminum Color: White Weight: 1.21 lbs (0.55 kg)	ME4 Outdoor IR Dome 32459-101 ME4 IR MicDome 33164-101 33164-102 SE2 Outdoor IR Dome 35834-101 SE2 Indoor IR Dome 35835-101 SE2 Indoor NanoDome 33836-101 MegaPX MicroDome 2 30824 MegaPX DPoC MicroDome 31800 MegaPX WDR MiniDome Z2 31571 31571-SD	The compatible NPT mount adaptor for the dome to be mounted 33285 33287 30332 30327
33227 Wall Mount Back Box For mounting the ME4 IR Bullet Camera to a wall			•	•	Material: Aluminum Color: White Weight: 2.0 lbs (0.91 kg)	ME4 IR Bullet 33166-101 33166-102	None

Mount	Photo	Drawing	Indoor	Outdoor	Construction	Compatible With	Additional Mounting Accessories Required
WALL MOUNTS							
HOWSCAMWB Wall/Ceiling Mount For mounting box camera and analytics sensors			●		Material: Plastic/aluminum Color: White Weight: .33 lbs (.150 kg)	ME4 IR Box Camera 33168-101 33168-102 33168-103 Brickstream Analytics Sensors 34820-101 34821-101 34822-101 34823-101	
POLE MOUNT ADAPTORS							
HOMINIDOMEPM Pole Adaptor For mounting various domes to a pole			●	●	Material: Steel Color: White Weight: 2.87 lbs (1.30 kg)	ME4 Outdoor IR Dome 32459-101 ME4 IR MicDome 33164-101 33164-102 SE2 Outdoor IR Dome 35834-101 SE2 Indoor IR Dome 35835-101 SE2 Indoor NanoDome 33836-101 MegaPX MicroDome 2 30824 MegaPX DPoC MicroDome 31800 MegaPX WDR MiniDome Z2 31571 31571-SD	Wall Mount HOMINIDOMEWB The compatible NPT mount adaptor 33285 33287 30332
33226 Pole Mount Back Box For mounting the ME4 IR Bullet Camera to a pole			●	●	Material: Aluminum Color: White Weight: 2.0 lbs (0.91 kg)	ME4 IR Bullet 33166-101 33166-102	None

Mount	Photo	Drawing	Indoor	Outdoor	Construction	Compatible With	Additional Mounting Accessories Required
CORNER MOUNT ADAPTORS							
<p>27639</p> <p>Corner Adaptor</p> <p>For mounting various domes to a corner</p>			●	●	<p>Material: Steel</p> <p>Color: Ivory</p> <p>Weight: 5.29 lbs (2.4 Kg)</p>	<p>ME4 Outdoor IR Dome 32459-101</p> <p>ME4 IR MicDome 33164-101 33164-102</p> <p>SE2 Outdoor IR Dome 35834-101</p> <p>SE2 Indoor IR Dome 35835-101</p> <p>SE2 Indoor NanoDome 33836-101</p> <p>MegaPX MicroDome 2 30824</p> <p>MegaPX DPoC MicroDome 31800</p> <p>MegaPX WDR MiniDome Z2 31571 31571-SD</p>	<p>Wall Mount HOMINIDOMEWB</p> <p>The compatible NPT mount adaptor 33285 33287 30332</p>
ELECTRICAL BOX MOUNTS							
<p>28317</p> <p>Electrical Mount Adaptor Plate (surface mount)</p> <p>For surface-mounting the MegaPX WDR MiniDome to a double-ganged deep electrical box</p>			●		<p>Material: Steel</p> <p>Color: White</p> <p>Weight: .66 lb (0.3 kg)</p>	<p>MegaPX WDR MiniDome Z2 31571 31571-SD</p>	None
<p>36068</p> <p>Electrical Mount Adaptor Plate (surface mount)</p> <p>For surface-mounting various domes to a double-ganged deep electrical box</p>			●		<p>Material: Plastic</p> <p>Color: White</p> <p>Weight: 0.15 lb (0.07 kg)</p>	<p>ME4 IR MicDome 33164-101 33164-102</p> <p>SE2 Indoor IR Dome 35835-101</p> <p>SE2 Indoor NanoDome 33836-101</p>	None

Mount	Photo	Drawing	Indoor	Outdoor	Construction	Compatible With	Additional Mounting Accessories Required
ATM CAMERA MOUNTS							
<p>Short Mounting Bracket (ships with camera)</p> <p>For mounting the self-contained ATM camera inside an ATM</p>			●		<p>Material: Steel Color: Black Weight: 0.25 lb (0.12 kg)</p>	<p>Self-contained ATM Camera ("cube") 31763 32044</p>	None
<p>Standard Mounting Bracket (ships with camera)</p> <p>For mounting the self-contained ATM camera inside an ATM</p>			●		<p>Material: Steel Color: Black Weight: 0.5 lb (0.23 kg)</p>	<p>Self-contained ATM Camera ("cube") 31763 32044</p>	None
<p>34278 Standard Mounting Bracket</p> <p>For mounting the modular ATM camera inside an ATM</p>			●		<p>Material: Steel Color: Black Weight: 0.5 lb (0.23 kg)</p>	<p>Modular ATM Camera 34112-101</p>	None
<p>34273 View Window Mounting Bracket</p> <p>For mounting the modular ATM camera inside an NCR 6634 ATM</p>			●		<p>Material: Plastic Color: Black with clear window Weight: 0.5 lbs (0.23 kg)</p>	<p>Modular ATM Camera 34112-101</p>	None

Mount	Photo	Drawing	Indoor	Outdoor	Construction	Compatible With	Additional Mounting Accessories Required
SIDE CABLE ACCESS HOUSINGS							
30323 Side Cable Access Housing For mounting the MegaPX WDR MiniDome Z2 to a hard surface			●		Material: Aluminum Color: White Weight: 1.0 lb (0.45 kg)	MegaPX WDR MiniDome Z2 31571 31571-SD	None
ENVIRONMENTAL HOUSING AND ACCESSORIES							
26481 Environmental Housing For mounting box cameras outdoors			●	●	Material: Aluminum Color: Gray/White Weight: 9.50 lbs (4.30 kg)	ME4 IR Box Camera 33168-101 33168-102 33168-103	Wall Mount 26485 OR Ceiling Mount 26486
26485 Wall Mount For mounting the environmental housing to a wall			●	●	Material: Aluminum Color: Gray/White Weight: 1.32 lbs (0.60 kg)	ME4 IR Box Camera 33168-101 33168-102 33168-103	Environmental Housing 26481
26486 Ceiling Mount For mounting the environmental housing to a ceiling			●	●	Material: Aluminum Color: Gray/White Weight: 2.87 lbs (1.30 kg)	ME4 IR Box Camera 33168-101 33168-102 33168-103	Environmental Housing 26481

Mount	Photo	Drawing	Indoor	Outdoor	Construction	Compatible With	Additional Mounting Accessories Required
ANALYTICS SENSOR MOUNTS							
34817 Flush Mount Adaptor For flush mounting the sensor			●		Material: Plastic Color: White Weight: 1.0 lbs (0.45 kg)	Brickstream Sensors 34820-101 34821-101 34822-101 34823-101	None
34818 Wall Mount For mounting the sensor to a wall			●	●	Material: Metal Color: White Weight: 3.0 lbs (1.36 kg)	Brickstream Sensors 34820-101 34821-101 34822-101 34823-101	None